

ACCESSORIES AND MODIFICATIONS

Door Accessories and Modifications

NEW SELECTION

Metal Glass Doors

Metal Glass Doors ☒M

4 new contemporary metal door frames available in six distinctive finishes and 12 unique inserts to choose. Pricing will depend on frame type and panel insert selected.




AF02

Door Name	AF02
Nomenclature	MD AF02
Rails & Stiles	2 1/8" both
Door Edge	#60 edge - Square
Hinge Type	Special Blum Soft-Close
Finger Pull	Required. 3" accent or matching finish
Dimensions Width & Height	96" Max / 5 1/2" Min
Aventos	Yes; All see page A-32
On-site Drilling Allowed	No. Will damage insert

- Additional Notes
- 2 1/8" wide rails and stiles with a stepped profile revealing a 5/16" face perimeter
 - Insert thickness is 0.156"
 - Standard hinge location will be 4" from the top and bottom of the door. If a third hinge is required due to the height of the door, hinge placement will be centered between the top and bottom hinge holes.

AF02 Frame Profile




AF03

Door Name	AF03
Nomenclature	MD AF03
Rails & Stiles	2 1/8" both
Door Edge	#60 edge - Square
Hinge Type	Special Blum Soft-Close
Finger Pull	3" accent or matching finish
Dimensions Width & Height	96" Max / 5 1/2" Min
Aventos	Yes; All see page A-32
On-site Drilling Allowed	Yes

- Additional Notes
- **The only metal door that can be drilled for hardware on site.**
 - Standard hinge location will be 4" from the top and bottom of the door. If a third hinge is required due to the height of the door, hinge placement will be centered between the top and bottom hinge holes.

AF03 Frame Profile



AI=Accessory Installed

AL=Accessory Loose

M=Modification

ACCESSORIES AND MODIFICATIONS


Door Accessories and Modifications



AF04

Door Name	AF04
Nomenclature	MD AF04
Rails & Stiles	1 3/4" both
Door Edge	#60 edge - Square
Hinge Type	Special Blum Soft-Close
Finger Pull	Required. 3" accent or matching finish
Dimensions Width & Height	96" Max / 5 1/2" Min
Aventos	Yes; All see page A-32
On-site Drilling Allowed	No. Will damage insert


- Additional Notes
- All glass is tempered safety glass.
 - Standard hinge location will be 4" from the top and bottom of the door. If a third hinge is required due to the height of the door, hinge placement will be centered between the top and bottom hinge holes.



AF06

Door Name	AF06
Nomenclature	MD AF06
Rails & Stiles	2 1/8" both
Door Edge	#60 edge - Square
Hinge Type	Special Blum Soft-Close
Finger Pull	Required. 3" accent or matching finish
Dimensions Width & Height	96" Max / 5 1/2" Min
Aventos	Yes; All see page A-32
On-site Drilling Allowed	No. Will damage insert

- Additional Notes
- Only available with Black Gloss (BPG BG) and White Gloss (BPG WG) Back Paint Glass inserts.
 - Standard hinge location will be 4" from the top and bottom of the door. If a third hinge is required due to the height of the door, hinge placement will be centered between the top and bottom hinge holes.



Ordering Glass Doors as a Modification ☒M

Step 1. Select a metal door style

DOOR STYLE	NOM.
AF02	MD AF02
AF03	MD AF03
AF04	MD AF04
AF06	MD AF06



AF02



AF03



AF04



AF06*

Continued, next page ➞

***NOTE:** AF06 is only available with Black and White Gloss Back Painted Glass inserts

AI=Accessory Installed

AL=Accessory Loose


M=Modification

ACCESSORIES AND MODIFICATIONS

Door Accessories and Modifications


Step 2. Select a metal door frame finish

FRAME FINISH	NOM.	PRICE/ SQ.FT.
Natural Aluminum	NA	\$162
Brushed Stainless	BS	\$162
Graphite	GR	\$269
Gold	AU	\$269
Onyx Black Matte	OX	\$212
Bronze Matte	BZ	\$212




Step 3. Select the center insert style

INSERT TYPE/STYLE	NOM.	PRICE/ SQ.FT.
Low Iron Clear Glass	GM LIC	\$72
Low Iron Satin Glass	GM LIS	\$128
Clear Glass	GM C	\$72
Satin Glass	GM S	\$72
Regular Reeded Glass	GM RR	\$128
Narrow Reeded Glass	GM NR	\$128
Clear Grey	GM CG	\$72
Bronze Clear Glass	GM BC	\$72
Black Gloss Back Paint Glass	BPG BG	\$128
White Gloss Back Paint Glass	BPG WG	\$128
Linea Ivory 3Form Resin	3FR LI	\$229
Quattro Carbon 3Form Resin	3FR QC	\$229



Step 4. (Optional) Select your Finger Pull



****NOTE: Should NOT use lighting behind Black and White Gloss**

DESCRIPTION	NOMENCLATURE	PRICE/ PER UNIT
Finger Pull Shipped Loose (Natural Aluminum)	F PULL NA SS	\$19
Finger Pull Shipped Loose (Brushed Stainless)	F PULL BS SS	\$19
Finger Pull Shipped Loose (Graphite)	F PULL GR SS	\$52
Finger Pull Shipped Loose (Gold)	F PULL AU SS	\$52
Finger Pull Shipped Loose (Onyx Black)	F PULL OX SS	\$33
Finger Pull Shipped Loose (Bronze Matte)	F PULL BZ SS	\$33

Finish matches the Frame finish

Additional Hinge & Finger Pull Info, next page



Blum 35mm cup screw-in hinge

Hinges for Glass Doors

- Special Blum (Soft Close) 35 mm cup Hinge: 71B3550 screw-in with Inserta Plate: 174H7100E
- Hinges are held in with a self-tapping screw. Part #37072A100 (#7x13mm).
- Standard hinge location will be 4" from the top and bottom of the door. If a third hinge is required due to height of the door, hinge placement will be centered between the top and the bottom hinge holes.



3" Finger Pull

Finger Pulls for Glass Doors

- Finger pulls are 3" wide and can be ordered to match the selected finish on your order, or in an accent finish for an extra touch of style.
- Does not come installed - on site installation is required. All finger pulls are ordered as a separate line item and shipped loose.

SHIPPING Prior to shipping, metal doors will be installed to verify proper fit. After verification, they will be removed, boxed separately, and specially packaged to eliminate the possibility of damage.

AI=Accessory Installed

AL=Accessory Loose

M=Modification